

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5751	726/1-7.ccls. or 726/11-15.ccls. or 726/23-30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:44
L2	1000	713/151-154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:45
L3	2071	(user\$1 or port\$1 or computer\$1) with inactivit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:48
L4	437	L3 and ((disabl\$3 or block\$3) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:48
L5	6490	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:49
L6	20	5 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:49
S2	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502".pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152".pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452".pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25

S3	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502".pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152".pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452".pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25
S4	0	S3 and (auto adj sensing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:26
S5	2	S3 and (activity with detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:27
S6	14	S3 and (sens\$3 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:01
S7	1967	(DSL) and (authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:02
S8	6	S3 and S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:26
S9	0	Ethernet adj (autosens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S10	0	Ethernet adj (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S11	44	Ethernet same (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S12	28	Ethernet with (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:25
S13	2	Ethernet adj2 (auto\$1sens\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:18

S14	1105	(ethernet) and (in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S15	501	S14 and idle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S16	66	S14 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S17	1105	(ethernet) and (in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:01
S18	66	S17 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:10
S19	454	router and (user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:15
S20	14	router same(user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:11
S21	65	router and (user with idle) and (block\$3 adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:16
S22	6	router and (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S23	0	router same (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S24	0	router same ((user near3 idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:20
S25	1	router same ((idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:21

S26	0	router same ((idle) same (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S27	0	router same (blocking adj (data or traffic)) same (idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S28	0	router same (blocking adj (data or traffic)) same (idle or inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:24
S29	13	router same (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:28
S30	30	router same ((blocking or stop\$3) adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29
S31	17	S30 not S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29
S32	0	(ethernet near3 inactivity) same (blocking or relea\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S33	0	(ethernet near3 inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S34	0	(ethernet near3 in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
S35	14	(ethernet with in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
S36	14	(ethernet with in\$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:43
S37	11	S36 and programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44

S38	0	S36 same programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44
S39	8	S36 same configur\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:45
S41	0	(inactivity with (end adj user\$1 adj configur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:39
S42	16	(inactivity with (user\$1 adj configur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:02
S43	180	726/11.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:07
S44	298	726/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S45	1104	726/4.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S46	236	726/6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S47	2062	(user\$1 or port\$1 or computer\$1) with inactivit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:01

S48	457	S47 and ((disabl\$3 or block\$3 or stop\$4) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S49	94	S48 and (WAN\$1 with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:07
S50	81	S48 and (WAN with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S51	108179	security.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:08
S52	7	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:08
S53	435	S47 and ((disabl\$3 or block\$3) with (communication\$1 or traffic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:12
S54	77	S53 and (WAN with LAN\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:13
S55	4	S54 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:08

S56	721	user with (inactiv\$3 or idle) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:23
S57	157081	(disabl\$3 or block\$3) with (communication\$1 or traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:13
S58	163	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:17
S59	3	S56 same S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:13
S60	25024	(inactiv\$3 or idle) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S61	2784	S57 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S62	131	S57 same S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:24
S63	3910	shaffer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:42

S64	415	S63 and siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:43
S65	2	S56 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:43
S66	2	S63 and S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:44
S67	4	S63 and S60 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:45